

#### SAFETY DATA SHEET

Safety Data Sheet according to Regulation (EC) No. 1272/2008 (REACH) Annex II

Sharp Turbo		
<b>Revision Date</b> 3-December-2019	Version 1	Product No JTA/UK/009
<b>Publish Date</b> 3-December -2019		

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

# **Sharp Turbo**

400g/l Flufenacet & 200g/l Diflufenican SC

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Herbicide

**Uses advised against**No information available

# 1.3. Details of the supplier of the safety data sheet

**Supplier Address** JT Agro Ltd

1 Bell Street, Maidenhead, Berkshire,

SL6 1BU, U.K.

Tel: +44 1628 421599 Fax: +44 1628 421623

For further information, please contact

**Email address** info@jtagro-cropthetics.com

# 1.4. Emergency telephone number

# Emergency information services / official advisory body:

National Chemical Emergency Centre (UK): Tel: 01865 407333 (24 hours)

Telephone number of the company in case of emergencies:

Tel: +44 1628 421599

# **Section 2: HAZARD IDENTIFICATION**

# 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard class Hazard category Hazard statement

Acute Tox. 4 H302 - Harmful if swallowed.

Skins Sens. 1 H317 - May cause an allergic skin reaction.

STOT RE 2 H373 - May cause damage to organs through prolonged or

repeated exposure.

Aquatic Acute 1 H400 - Very toxic to aquatic life.

Aquatic Chronic 1 H410 - Very toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

# Labeling according to Regulation (EC) No. 1272/2008 [CLP







# Warning

H302 - Harmful if swallowed. H317-May cause an allergic skin reaction. H373 - May cause damage to organs (nervous system) through prolonged or repeated exposure. H410 - Very toxic to aquatic life with long lasting effects

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P309 + P311 - IF exposed or concerned: Call a POISON CENTER/doctor/physician.

P501 - Dispose of contents/ container to an approved waste disposal plant.

EUH401 - To avoid risks to human health and the environment comply with the instructions for use.

SP1 Do not contaminate water with the product or its container (Do not clean application equipment near surface water/Avoid contamination via drains from farmyards and roads).

# 2.3. Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006.

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006.

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Mixtures

n.a.

# 3.2. Mixtures

Flufenacet (ISO)						
Registration number (REACH)						
Index	616-032-00-9					
EINECS, ELINCS, NLP	-					
CAS	142459-59-3					
Content %	30-40					
Classification according to Regulation (EC) 1272/2008 (CLP)	Acute Tox. 4, H302 STOT RE 2, H3737 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410					

Diflufenican	
Registration number (REACH)	
Index	616-032-00-9
EINECS, ELINCS, NLP	-
CAS	83164-33-4
Content %	10-20
Classification according to Regulation (E1272/2008 (CLP)	Aquatic Chronic 3, H412

# **Section 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

Never pour anything into the mouth of an unconscious person!

**Inhalation** 

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms

**Skin Contact** 

Dab away with polyethylene glycol 400

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of

water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if

necessary.

Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting. Consult doctor immediately.

# 4.2. Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1 Methemoglobin formulation Cyanosis

# 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment

Sodium sulphate laxative (1 table spoon and 1 glass of water) with generous amounts of activated charcoal. For methemoglobinemia, 300 mg toluidine blue intravenously or 1 to 2 mg/kg methylene blue intravenously.

# **Section 5: FIRE-FIGHTING MEASURES**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Water jet spray/foam/CO2/dry extinguisher

#### Unsuitable extinguishing media

Not known

#### 5.2. Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Oxides of Sulphur

Oxides of nitrogen

Hydrogen cyanide

Toxic gases

#### 5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary

Dispose of contaminated extinction water according to official regulations.

#### Section 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Keep non-essential personnel away.

Ensure sufficient supply of air.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping

# 6.2. Environmental precautions

If leakage occurs, dam up. Resolve leaks if this is possible without risk. Prevent surface and ground-water infiltration, as well as ground penetration. Prevent from entering drainage system. If accidental entry into drainage system occurs, inform responsible authorities.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth) and dispose of according to section 13. Fill the absorbent material into lockable containers. Clean soiled bottles immediately.

#### 6.4. Reference to other Sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

# **Section 7: HANDLING AND STORAGE**

In addition to information given in this section, relevant information can also be found in Section 8 and 6.1.

# 7.1. Precautions for safe handling

#### 7.1.1 General recommendations

Ensure good ventilation. Keep away from sources of ignition - Do not smoke. Avoid contact with eyes and skins. Separate storage of protective clothing. Eating, Drinking, Smoking, as well as food-storage, is prohibited in work-room. Observe directions on label and instructions for use. Use working methods according to operating instructions.

#### 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable. Wash hands before breaks and at end of work. Keep away from food, drink and animal feeding stuffs. Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Suitable container: HDPE

# 7.2. Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorized individuals. Store product closed and only in original packaging. Not to be stored in gangways or stairwells.

Protect from frost.

Store in a well-ventilated place.

Store in a dry place.

Suitable container: HDPE

**7.3. Specific end use(s)** No information available at present

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

Chemical Name	Glycerine	Control %
WEL-TWA: 10	WEL-STEL:	
MG/M3 (mist)		
Monitoring		5.5 mg/m3
procedures:		(TWA)
BMGV:		Other
		Information

#### 8.2. Exposure controls

#### 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction. If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

#### 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable. Wash hands before breaks and at end of work. Keep away from food, drink and animal feeding stuffs. Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

**Eye/face protection:** Tight fitting protective goggles with side protection (EN 166).

**Skin protection - Hand Protection:** Chemical resistant protective gloves (EN 374). Recommended Protective

nitrile gloves (EN 374) Minimum layer thickness in mm: 0,4 Permeation time (penetration time) in minutes: >=480. The breakthrough times determined in accordance with EN374 Part 3 were not obtained under practical conditions. The recommended maximum wearing time is 50%

of breakthrough time. Protective hand cream recommended.

**Skin protection -Other:** Protective working garments (e.g. safety shoes EN ISO 20345, long -

sleeved working garments)

**Respiratory protection:** Normal not necessary.

Thermal Hazards: Not applicable

Addition information on hand protection- No test has been performed. In

The case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications. Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on the other quality characteristics and varies from manufacture to manufacture. In the case of mixtures, the resistance of glove materials cannot be predicated and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

#### 8.2.3 Environmental exposure controls

No information available at present.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

# 9.1. Information on basic physical and chemical properties

**Physical state:** Liquid Suspension **Colour:** White, Beige

**Odour** Slightly, Characteristic

Odour threshold:

pH- value

Melting point/freezing point

Initial boiling point and boiling range

Not determined

Not determined

Not determined

Flash point > 100 °C

Evaporation rate:

Flammability (solid, gas):

Lower explosive limit:

Upper explosive limit:

Vapour pressure:

Vapour density (air=1):

Not determined

**Bulk density:** n.a

Solubility(ies):
Water solubility:
Dispersion
Partition Coefficient n-octanol
Not determined

/water

**Auto -ignition temperature:** 445 °C (ignition temperature)

**Decomposition temperature:** Not determined

 Viscosity:
 150-400 mPas (20 °C, (20/s)

 Viscosity:
 60-200 mPas (20 °C, (20/s)

**Explosive properties:** Product is not explosive. (regulation (EC) 440/2008 A.14.

(EXPLOSIVE PROPERTIES)

Oxidizing properties: No

#### 9.2. Other information

Further safety related physical-chemical data are not known.

# **Section 10: STABILITY AND REACTIVITY**

# 10.1. Reactivity

Not to be expected

#### 10.2. Chemical stability

Stable with proper storage and handling.

# 10.3. Possibility of hazardous reactions

No dangerous reactions are known.

# 10.4. Conditions to avoid

See also section 7. Strong heat

# 10.5. Incompatible materials

See also section 7 Avoid contact with strong alkalis. Avoid contact with strong oxidizing agents. Avoid contact with strong acids.

# 10.6. Hazardous decomposition

See also section 5.2

No decomposition when used as directed

# **Section 11: TOXICOLOGICAL INFORMATION**

# 11.1. Information on toxicological effects

SHARP TURBO	SHARP TURBO								
Toxicity/effect	Endpoint	Value	Unit	Organism	Test method	Notes			
Acute toxicity, by oral route:	LD50	500 - 2000	mg/kg	Rat					
Acute toxicity, by dermal route:	LD50	>4000	mg/kg	Rat					
Acute toxicity, by inhalation:	LC50	>2,078	Mg/1/4h	Rat					
Skin corrosion/ irritation:				Rabbit		Not Irritant			
Serious eye				Rabbit		Not Irritant			

damage/				
irritation:				
Respiratory or		Guinea Pig	OECD 406	Yes (skin
skin			(Skin	contact)
sensitization:			Sensitization	
			)	
Germ cell				n.d.a.
mutagenicity:				n d a
Carcinogenicity: Reproductive				n.d.a. n.d.a.
toxicity:				n.a.a.
Specific target				n.d.a.
organ toxicity				
single exposure				
(STOT-SE):				
Specific target				n.d.a.
organ toxicity				
single Exposure (STOT-RE):				
Aspiration				n.d.a.
hazard:				n.a.a.
				n.d.a.
Symptoms:				n.a.a.
Other				Classificatio
information:				n according
				to
				calculation
				procedure.

Flufenacet (ISO)						
Toxicity/effect	Endpoint	Value	Unit	Organism	Test method	Notes
Germ cell						Negative
mutagenicity:						
Carcinogenicity:						Negative
Reproductive				Rat		Negative
toxicity:						

Diflufenican						
Toxicity/effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>2000	mg/kg	Rat		
Acute toxicity, by dermal route	LD50	>2000	mg/kg	Rat		
Acute toxicity, by inhalation	LC50	>4.94	Mg/1/4h	Rat		

Glycerin

LD50	>126000	mg/kg	Rat		
1050					
LDEO	1				
LUSU	>2000	mg/kg	Rat		
LD50	>2000	mg/kg	Rabbit		
LD50	>5000	mg/kg	Rat		
				Sheet (ESIS)	
LD50	>10000	mg/kg	Rabbit		
			Rabbit		Not Irritant
				· · · · · · · · · · · · · · · · · · ·	
			Rabbit		
				· '	
				,	Not Irritant
			D colo lo it		N l a b l mui b a ma b
			RODDIT	· ·	Not Irritant
				·	Not Irritant
				,	Nothintant
				irritation/corrosion/	Not Irritant
					Nothintant
			Guinea Pia		Not
					Sensitizing
				OECD 471 (Bacterial	Negative
				Reverse Mutation	3
				Test)	
NOAEL	2000	mg/kg/d		·	Negative
NOAEL		mg/l	Rat		14d
					N.I. a. a. I.I.
					Negative
<del></del>					Abdama:
					Abdominal pain,
					drowsiness,
					diarrhea,
					vomiting,
					headaches
					mucous membrane
					irritation
					irritation
	LD50 LD50  NOAEL  NOAEL	LD50 >10000  NOAEL 2000	LD50 >10000 mg/kg	LD50 >10000 mg/kg Rabbit Rabbit Rabbit Rabbit Rabbit Rabbit Rabbit Rabbit Rabbit	Sheet (ESIS)  LD50 >10000 mg/kg Rabbit  Rabbit IUCLID Chem. Data Sheet (ESIS)  Rabbit IUCLID Chem. Data Sheet (ESIS)  OECD 405 (Acute Dermal Irritation/Corrosion)  Rabbit OECD 405 (Acute Dermal Irritation/Corrosion)  OECD 405 (Acute Dermal Irritation/Corrosion)  OECD 405 (Acute Dermal Irritation/Corrosion)  OECD 471 (Bacterial Reverse Mutation Test)  NOAEL 2000 mg/kg/d

# **Section 12: ECOLOGICAL INFORMATION**

Possibly more information on environmental effects, see Section 2.1 (classification).

SHARP TURBO							
Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to fish:	LC50	96h	12,3	mg/l	Oncorhynchus mykiss		
Toxicity to daphnia:	LC50	48h	>100	mg/l	Daphina magna		
Toxicity to algae:	EC50	72h	0.00663	mg/l	Pseudokirchnerie Il1 subcapitata		
Persistence and degradability:							n.d.a
Bioaccumulative potential:							n.d.a
Mobility in soil:							n.d.a
Results of PBT and vPvB assessment							n.d.a
Other adverse effects:							n.d.a
Other organisms:	EC50		0.307	mg/l	Lemna gibba		

Flufenacet (ISO)							
Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to fish:	LC50	96h	2,19	mg/l	Lepomis macrochirus		
Toxicity to daphnia:		48h	30,9	mg/l	Daphnia magna		
Toxicity to algae:		72h	0,0002- 0,0004	mg/l	Pseudokirchnerie lla subcapitata		

Diflufenican							
Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to fish:	LC50	96h	>0,04	mg/l			Does not
							conform with EU
							classification
Toxicity to	EC50	48h	0,24	mg/l	Daphina		Does not
daphnia:					Magna		conform with EU
							classification
Toxicity to	EC50	72h	0,0002-	mg/l			Does not
algae:			0.0004				conform with EU
							classification
Toxicity to birds:	LD50		>2150	mg/k	Colin		
					virginianus		
Toxicity to birds:	LD50		>4000	mg/k	Anas		
					platyrhnnch		
					OS		

Glycerine							
Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to fish:	LC50	24h	>5000	mg/l	Carassius auratus		References
Toxicity to fish:	LC50	96h	>5000	mg/l	Carassius auratus		
Toxicity to fish:	LC50	96h	>10000	mg/l	Leuciscus idus		
Toxicity to daphnia:	EC50	24h	>10000	mg/l	Daphnia magna		
Toxicity to daphnia:	EC50	24h	>10000	mg/l	Daphnia magna	IUCLID Chem, Data sheet (ESIS)	
Toxicity to daphnia:	EC5	72h	3200	mg/l			References
Toxicity to algae:	EC50		29000	mg/l	Chlorella vulgaris		
Toxicity to algae:	IC5	7d	>1000	mg/l	Scenedesmu s quadricornut um		
Toxicity to algae:	IC5	7d	>1000	mg/l	Scenedesmu s capricornutu m		References
Persistence and degradability:		14d	63	%		OECD 301 C (Ready Biodegradabilit y-Modified MITI Test (1))	
Persistence and degradability:		14d	63	%		OECD 301 C (Ready Biodegradabilit y-Modified MITI Test (1))	
Bioaccumulative potential:	Log Pow		-1,76				
Bioaccumulative potential:	Log Pow		-2,6				A notable biological accumulation potential is not to be expected (LogPow 1-3)
Results of PBT and vPvB assessment							n.a
Toxicty to bacteria	EC5	16h	>10000	mg/l	Pseudomona s putida		
Other information:	BOD5		0,87	g/g			

Other	COD	1,16	g/g		
information:					

#### Section 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

# For the substance/mixture / residual amounts

EC disposal code no:

The waste codes are recommendations based on the scheduled use of this product. Owing to the users specific conditions for use and disposal, other waste codes may be allocated under curtails circumstances. (2014/955/EU)

02 01 08 agrochemical waste containing hazardous substances

07 04 99 wastes not otherwise specified

20 01 19 Pesticides Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant E.g. dispose at suitable refuse site.

#### For Contaminated packaging

Pay attention to local and national office regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as

the substance.

# Section 14: TRANSPORT CONSIDERATIONS

#### **General statement**

UN number 3082

# Transport by road/by rail (ADR/RID)





**UN Proper Shipping Name:** 

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUFENACET (ISO), DIFLUFENCIAN)

Transport hazard class(es) 9
Packing group: III
Classification code: M6
LQ (ADR 2015): 5

Environmental Hazards: Environmentally hazardous

Tunnel Restriction Code: E

# Transport by Sea (IMDG-code)





UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUFENACET (ISO), DIFLUFENCIAN)

Transport hazard class(es) 9
Packing group: III
EmS: F-A, S-F
Marine Pollutant: Yes

Environmental hazards Environmentally hazardous

class(es):

#### Transport by air (IATA)





UN proper shipping name:

Environmentally hazardous substance, liquid, (FLUFENACET (ISO), DIFLUFENCIAN)

Transport hazard class(es) 9
Packing group III

Environmental hazards Environmentally hazardous

#### Special precautions for user

Persona employed in transporting dangerous goods must be trained.

All persons involved in transporting must observe safety regulations.

Precautions must be taken to prevent damage.

#### Transport in bulk according to Annex ii of MARPOL and IBC Code

Freighted as packaged goods rather than in bulk, therefore not applicable.

Minimum amount regulations have not been taken into account.

Danger code with packaging code on request.

Comply with special provisions.

# **Section 15: REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

For classification and labelling see Section 2.

Observe restrictions:

Comply with trade association/occupational health regulations.

Observe youth employment law (German regulations).

Observe law on protection of expectant mothers (German regulations).

Observe plant protection medium law.

# 15.2. Chemical Safety Assessment

A chemical safety assessment is not provided for mixtures.

# **Section 16: OTHER INFORMATION**

These details refer to the product as it is delivered.

Employee instruction/training in handling hazardous materials is required.

Employee training in handling dangerous goods is required.

# Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EGO 1272/2008 (CLP):

Classification in accordance with regulation (EC)	Evaluation method used
No. 1272/200/ (CLP)	
Acute Tox. 4, H302	Classification based on test data.
Skin Sens. 1, H317	Classification according to calculation procedure.
	Classification based on test date.
STOT RE 2, H372	Classification according to calculation procedure.
Aquatic Acute 1, H400	Classification based on test date.

Aquatic Chronic1, H410	Classification based on test date.

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the products and the constituents (specified in Section 2 and 3).

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Acute Tox. - Acute toxicity - oral

Skin Sens. - Skin Sensitization

STOT RE -- Specific target organ toxicity- repeated exposure

Aquatic Acute — Hazardous to aquatic environment - acute

Aquatic Chronic—Hazardous to aquatic environment—chronic

#### Any abbreviations and acronyms used in the the document

AC Article Categories

Acc., acc to according, according to

ACGIH American Conference of Governmental Industrial Hygienists

ADR Accord European relative au transport international des merchandises Dangereuses par Route (= European Agreement concerning the international Carriage of Dangerous Goods by Road)

AOEL Acceptable Operator Exposure Level

AOX Absorbable organic halogen compounds

Approx. approximately

Art., Art no Article number

ATE Acute Toxicity Estimate according to Regulation (EC)1272/2008 (CLP)

BAM Bundesanstalt fur Materialforschung und-prufing (Federal Institute for Materials Research and Testing, Germany)
BAUA Bundesanstalt fur Arbeitsschutz und Arbeitsmedzin (= Federal Institute for Occupational Health and Safety,
Germany)

BCF Bioconcentration factor

BGV Berufsgenossenschaftliche Vorschrift (=Accident Prevention Regulation)

BHT Butylhydroxytoluol (2,6-Di-t-butyl-4-menthyl-phenol)

BMGV Biological monitoring guidance value (EH40, UK)

BOD Biochemical oxygen demand

BSEF Bromine Science and environmental Forum

Bw body weight

CAS Chemical Abstracts Service

CEC Coordinating European Council for the Development od Performance Test for Fuels, Lubricants and Other Fluids

CESIO Committee European des Agents de Surface et de leurs Intermediaries Organiques

CIPAC Collaborative International Pesticides Analytical Council

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

COD Chemical oxygen demand

CTFA Cosmetic, Toiletry, and Fragrance Association

DMEL Derived Minimum Effect Level

DNEL Derived No Effect Level

DOC Dissolved organic carbon

DT50 Dwell Time - 50% reduction of start concentration

DVS Deutscher Verband für Schweißen und verwandte Verfahren e.V. (= German Association for Welding and Allied

Processes)

dw dry weight

e.g. for example (abbreviation of Latin `exempli gratia' for instance

EC European Community

ECHA European Chemical Agency

EEA European Economic Area

EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

**EN European Norms** 

EPA United states Environmental Protection Agency (United States of America)

ERC Environmental Release Categories

ES Exposure scenario

etc. et cetera

EU European Union

EWC European Waste Catalouge

Fax. Fax number

gen. general

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

HET-CAM Hen,s egg test-Chorionallantoic Membrane

HGWP Halocarbon Global Warming Potential

IARC International Agency for Research on cancer

IATA International Air Transport Association

IBC Intermediate Bulk Container

IBC (Code) International Bulk Chemical (Code)

IC Inhibitory concentration

IMDG-code International Maritime Code for Dangerous Goods

Incl. including, inclusive

IUCLID International Uniform Chemical Information Database

LC lethal concentration

LC50 lethal concentration 50 percent kill

LCLC Lowest published lethal concentration

LD Lethal Dose of a chemical

LD50 Lethal Dose 50% kill

LDLo Lethal Dose Low

LOAELL Lowest Observed Adverse Effect Level

LOEC Lowest Observed Effect Concentration

LOEL Lowest observed Effect Level

LQ Limited Quantities

MARPOL International Convention for the prevention of Marine Pollution from Ships

n.a not applicable

n.av. not available.

n.d.a not checked

NIOSH National Institute of Occupational Safety and Health (United State of America)

NOAEC No Observed Adverse Effective Concentration

NOAEL No Observed Adverse Effect Level

ODP Ozone Depletion Potential

OECD Organization for Economic Co-operation and Development

org. organic

PAH polycyclic aromatic hydrocarbon

PBT persistent, bioaccumulative and toxic

PC Chemical product category

PE Polyethylene

PNEC Predicated No Effect Concentration

POCP Process category

ppm parts per million

PROC Process Category

PTFE Polytetrafluorethylene

REACH Registration, Evaluation, Authorization and Restrictions of chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorization and Restrictions of chemicals

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations with out a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Regalement concernant le transport International ferroviaire de marchandises Dangerous (=Regulation concerning the international Carriage of Dangerous Goods by Rail)

SADT Self-Accelerating Decomposition Temperature

SAR Structure Activity Relationship

SU Sector of use

SVHC Substance of very high concern

Tel. Telephone

ThOD Theoretical oxygen demand

TOC Total organic carbon

TRGS Technishe Regeln fur Gefahrstoffe (=Technical Regulations for Hazardous Substance)

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VbF Verordunng uber brennbare Flussigkeiten (= Regulation for flammable liquids (Austria))

WEL-TWA, WEL-STEL WEL-TWA WEL-TWA= Workplace Exposure Limit-Long-term exposure limit (8-hour TWA (=time weightedaverage) reference period), WEL-STEL= Workplace Exposure Limit- Short-term exposure limit (15-minute referenceperiod) (EH40, UK).

WHO World Health Organization

Wwt wet weight

# **Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

# **End of Safety Data Sheet**

